

Material Safety Data Sheet

May be used to comply with
OSHA's Hazard Communication Standard,
29 CFR 1910.1200. Standard must be
consulted for specific requirements.

U.S. Department of Labor

Occupational Safety and Health Administration
(Non-Mandatory Form)
Form Approved
OMB No. 1218-0072

IDENTITY (As Used on Label and List)

Anti-Perspirant Deodorant Roll-On Clear Scented

Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.

Section I

| | |
|---|--|
| Manufacturer's Name Hydrox Laboratories | Emergency Telephone Number 800-255-3924 |
| Address (Number, Street, City, State, and ZIP Code) 825-B Tollgate Road Elgin, IL 60123 | Telephone Number for Information 847-468-9400 |
| Date Revised | 6/05/08 |
| Manufactured for: Chester Labs Inc., Cincinnati, OH 45237 | Signature of Preparer (optional) |

Section II - Hazard Ingredients/Identity Information

| Hazardous Components (Specific Chemical Identity; Common Name(s)) | OSHA PEL (TLV-TWA) | ACGIH TLV (TLV-TWA) | Other Limits Recommended | %(optional) |
|---|-----------------------------------|-----------------------------------|--------------------------|-------------|
| Aluminum Chlorohydrate (CAS# 12042-91-0) 10% | 2 (as AL) mg/m ³ | 2 (ar AL) mg/m ³ | | |
| Non-Hazardous Product | | | | |

Section III - Physical/Chemical Characteristics

| | | | |
|-------------------------|--------|---|------|
| Boiling Point | 100° C | Specific Gravity (H ₂ O = 1) | 1.05 |
| Vapor Pressure (mm Hg.) | | Melting Point | N/A |

| | | | |
|-------------------------|--|---|----|
| Vapor Density (AIR = 1) | >1 | Evaporation Rate (Butyl Acetate = 1) | >1 |
| Solubility in Water | Miscible with Water | | |
| Appearance and Odor | Clear water- white to slight hazy liquid, pleasant fragrance | | |

Section IV - Fire and Explosion Hazard Data

| | | | |
|--|-------------------------|------------|------------|
| Flash Point (Method Used) Not Flammable | Flammable Limits N/A | LEL N/A | UEL N/A |
| Extinguishing Media Use water spray and water fog | | | |
| Special Fire Fighting Procedures None | | | |
| Unusual Fire and Explosion Hazards None Known | | | |

Section V - Reactivity Data

| | | | |
|--|----------------|---|---|
| Stability | Unstable | | Conditions to Avoid |
| | Stable | X | |
| Incompatibility (<i>Materials to Avoid</i>) Oxidizing material may cause a reaction | | | |
| Hazardous Decomposition or Byproducts Chlorine Compounds, Metal Oxides | | | |
| Hazardous Polymerization | May Occur | | Conditions to Avoid Continuous high temperatures |
| | Will Not Occur | X | |

Section VI - Health Hazard Data

| | | | |
|--|-----------------|------------------------|-----------------------|
| Route(s) of Entry: | Inhalation? N/A | Skin? No | Ingestion? No |
| Health Hazards (<i>Acute and Chronic</i>) If it causes skin irritation, wash with soap and water and do not continue use. | | | |
| Non-Toxic Product | | | |
| Carcinogenicity: | NTP? No | IARC Monographs? No | OSHA Regulated? No |

Signs and Symptoms of Exposure
None

Medical Conditions
Generally Aggravated by Exposure
None Known

Emergency and First Aid Procedures
Eyes: Flush with water. Skin: Wash with soap and water. If Swallowed: Seek medical attention.

Section VII - Precautions for Safe Handling and Use

Steps to Be Taken in Case Material is Released or Spilled

Flush with water, wear rubber gloves and goggles.

Waste Disposal Method

Non-Hazardous Product.
IN CONFORMANCE WITH PERTINENT FEDERAL, STATE OR LOCAL REGULATIONS.

Precautions to Be taken in Handling and Storing

Store in cool dark place away from heat

Other Precautions

None

Section VIII - Control Measures

Respiratory Protection (*Specify Type*)

Avoid breathing

Ventilation

Local Exhaust

Special

X

N/A

Mechanical (*General*)

Other

Protective Gloves

Rubber / Vinyl if desired

Eye Protection

Goggles if desired

Other Protective Clothing or Equipment

N/A

Work/Hygienic Practices