

**Material Safety Data Sheet**

May be used to comply with  
 OSHA's Hazard Communication Standard  
 29 CFR 1910.1200. Standard must be  
 consulted for specific requirements

**U.S. Department of Labor**

Occupational Safety and Health Administration  
 (Non-Mandatory Form)  
 Form Approved  
 OMB No. 1218-0072

<b>Identity</b> (As used on label and list) <b>GENT-L-TIP MINERAL OIL ENEMA</b>	<i>Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.</i>
--	--

**SECTION I**

Manufacturers Name <b>Chester Labs, Inc.</b>	Emergency Telephone Number <b>1-800-354-9709</b>
Address <b>1900 Section Rd., Suite A</b>	Telephone Number for Information <b>1-800-354-9709</b>
City, State, Zip Code <b>Cincinnati, OH 45237</b>	Date prepared <b>03/2005</b>

**SECTION II - Hazardous Ingredients/Identity Information**

Hazardous Components (Specific Chemical Identity: Common Name(s))	OSHA PEL	ACGIH TLV	OTHER LIMITS	
			RECOMMENDED	%(Optional)
<b>Mineral Oil USP (as a mist)</b>	<b>5mg/m3</b>	<b>5mg/m3</b>		

**This product contains no SARA 313 reportable substances**

**Hazard Rating Scale: Health = 1      Fire = 1      Reactivity = 0**

**SECTION III - Physical/Chemical Characteristics**

Boiling Point	<b>680° F</b>	Specific Gravity (H2O = 1)	<b>0.8-0.9</b>
Vapor Pressure (mm Hg.)	<b>N/A</b>	Melting Point	<b>N/A</b>
Vapor Density (AIR = 1)	<b>N/A</b>	Evaporation Rate (Butyl Acetate = 1)	<b>N/A</b>

Solubility in Water      **Not soluble, floats**

Appearance and Odor      **Clear, colorless, odorless**

**SECTION IV - Fire and Hazard Data**

Flash Point (Method Use) <b>380° F (open cup)</b>	Flammable Limits <b>N/A</b>	LEL <b>None</b>	UEL <b>None</b>
---	-----------------------------	-----------------	-----------------

Extinguishing Media      **Foam, CO<sub>2</sub>, spray, mist or fog**

Special Fire Fighting Procedures      **Self-contained breathing apparatus recommended. In limited air, carbon monoxide may be produced.**

Unusual Fire and Explosion Hazards      **N/A**

<b>SECTION V - Reactivity Data</b>				
Stability	Unstable	Stable <b>X</b>	Conditions to Avoid <b>None</b>	
Incompatibility (Materials to Avoid) <b>Strong acids, oxidizing agents</b>				
Hazardous Decomposition or Byproducts <b>None</b>				
Hazardous Polymerization	May Occur	Will Not Occur <b>X</b>	Conditions to Avoid <b>None</b>	
<b>SECTION VI - Health Hazard Data</b>				
Route(s) of Entry:	Inhalation? <b>Not significant</b>	Skin? <b>Primarily for liquid or mist</b>	Ingestion? <b>Not significant</b>	
Health Hazards (Acute and Chronic) <b>Liquid is irritating to eyes and skin</b>				
Carcinogenicity:	NTP? <b>No</b>	IARC Monographs? <b>Yes</b>	OSHA Regulated? <b>No</b>	
Signs and Symptoms of Exposure <b>Burning of eyes, nose or throat</b>				
Medical Conditions Generally Aggravated by Exposure <b>Dermatitis</b>				
Emergency and First Aid Procedures <b>Eyes: Flush with water for 15 minutes. Skin: Wash with soap and water.</b>				
<b>Ingestion: Drink water or milk. Do not induce vomiting.</b>				
<b>SECTION VII - Precautions for Safe Handling and Use</b>				
Steps to be Taken in Case Material is Released or Spilled <b>Shut off leak source. Contain and absorb spill with oil dry or bentonite.</b>				
Waste Disposal Method <b>Dispose of in accordance with all applicable local, state, and federal regulations. In general, incineration is preferred.</b>				
Precautions to be Taken in Handling and Storing <b>Store in cool, dry place away from ignition sources and oxidizers</b>				
Other Precautions <b>Combustible liquid – keep away from flame.</b>				
<b>SECTION VIII - Control Measures</b>				
Respiratory Protection ( <i>Specific Type</i> ) <b>Industrial – 50m/m3 supplied air mechanical filter, SCBA</b>				
Ventilation	Local Exhaust <b>N/A</b>	Mechanical (General) <b>N/A</b>	Special <b>N/A</b>	Other <b>N/A</b>
Protective Gloves <b>Oil/solvent resistant</b>	Eye Protection <b>N/A</b>			
Other Protective Clothing or Equipment <b>None</b>				
Work/Hygienic Practices <b>None</b>				